



# Certificate of Inspection

PIPA Device Reference Number: **56912** | Tag Number: **56912** | Report: **424796-v1**

**Pass**

I confirm that this inflatable Bounce and Slide combo device has been inspected in accordance with the PIPA scheme rules, and where it is applicable, it meets the requirements of BS EN 14960. All details contained within this inspection report are a true representation of what I found and observed during my inspection process.

Inspection Valid From: **09 June 2025**

Expiry Date: **08 June 2026**

Inspector Name: **Nathan Bradley**

Inspection Body: **Bouncy Castle Testing Wales Ltd**

Inspection Report ID: **424796-v1**

Signature:

## Device Details

Manufacturer: **Airquee Ltd**  
Device Type: **Bounce/Slide Combo**  
Manufactured Date: **Unknown**  
Device Description:  
Device Disclaimer:

I confirm that this inflatable Bounce and Slide combo device has been inspected in accordance with the PIPA scheme rules, and where it is applicable, it meets the requirements of BS EN 14960. All details contained within this inspection report are a true representation of what I found and observed during my inspection process.

Dimensions (L x W x H): **4.7m x 3.35m x 2.4m**  
Tested for Indoor Use Only? **No**

### View Report

Scan the QR Code to access the full report



# Inspection Report 424796-v1

**ID:** 424796-v1  
**Inspection Valid from:** 09 June 2025  
**Expiry Date:** 08 June 2026  
**Status:** Pass  
**Inspection Body:** Bouncy Castle Testing Wales Ltd  
**Tag No:** 56912  
**Device Type:** Bounce/Slide Combo  
**Serial Number:** P57175



Item	Status / Details	Notes
<b>Report Details</b>		

This is an inspection of an inflatable device which has been completed under the scheme rules of the PIPA Testing Scheme Limited.

<b>Creation Date:</b>	12/06/2025
<b>Inspection Date:</b>	09/06/2025
<b>Place of Inspection:</b>	Barry (Atlantic secure self storage)
<b>Inspector:</b>	68: Nathan Bradley
<b>Structure version:</b>	202505
<b>Tested for Indoor Use Only:</b>	No

## Device

Information about the device can be found below.

<b>PIPA Reference Number:</b>	56912
<b>Tag Number:</b>	56912
<b>Type:</b>	Bounce/Slide Combo
<b>Name:</b>	Front Slide Midi Bouncer - Multicoloured
<b>Manufacturer:</b>	Airquee Ltd
<b>Serial Number:</b>	P57175
<b>Date Manufactured:</b>	Unknown

Images - Each side of the device:



## Label and markings:



Is the manufacturer's operation manual present?:

Pass

## Structure

This section of the report contains important structural information about your device. How a device has been designed and structured is a very important part of device safety.

Length: 4.7m

Width: 3.35m

Height: 2.4m

## Structure

Bed Panel Width:	0.4m		
Trough Depth:	Pass	0.1m	
Seam Security:	Pass		
The size of the stitching is between 3mm and 8mm:	Pass		4-5mm
Internal wall Heights:	Pass	1.5m	Netted walls
Are the walls able to contain the intended users?:	Pass		
Open Side Fall off Height:	Pass	0.5m	0.50m
Grounding:	Pass	65kg	
Stability:	Pass		
Entrapment:	Pass		
Sharp Angles or Hard Surfaces:	Pass		
Number of Zips on unit? Is the toggle covered and moving freely?:	Pass	1	1pcs
Window Integrity:	Pass		
Are Nets Present?:	Yes		
Ceiling Netting < 8mm:	Pass	3mm	Scrim
Walls / Windows Netting < 30mm:	Pass	3mm	Black scrim
Are clamber nets present?:	No		
Air Loss Points:	Pass		

Type of Artwork:

## Materials

This covers the materials your device has been made from. Although the structure won't change over time the condition of materials will due to wear and tear and exposure to users and the elements.

Fabric Material and Condition:	Pass		Manufacturer
Thread Condition:	Pass		
Material Fire Retardancy:	Pass		
De-lamination of PVC:	Pass		

## Anchorage

A vital part of safe inflatable device operation is appropriate anchoring – especially when devices are used outdoors.

Tested for Indoor Use Only:	No
Number of high level anchors:	0

## Anchorage

Calculated Required No. of Anchor Points: 7

Total No. of Anchor Points: **Pass** 7

Anchor Point Integrity, Location and Angle: **Pass**

Anchor Point Accessories: **Pass**

Anchor Description: **Pass** Pvc metal d-ring

Are Ropes Present As Part of Anchorage: **No**

## Area & surround

Play Area m<sup>2</sup>: 5m<sup>2</sup> 5m<sup>2</sup>

## Blowers

By definition inflatable devices covered by the PIPA Testing Scheme will use blowers. Blowers are fundamental to the operation of the device and will be checked both mechanically and electrically by your inspector. Note that is common for blowers to be moved between devices as, in many cases, it's not possible to always ensure a specific blower will always be used with a specific device. If blowers are swapped or replaced, they must be of the same design and power as used when the device was inspected.

Air Pressure: **Pass** 1.39kPa



Number of Blowers: 1

PAT Test - Is there a valid PAT test result within the past 12 months?: **Pass**

Date of PAT Test: 04/07/2024

Inspection of the blower's inlet guard, outlet guard, non-return valve, impeller and electrical cable: **Pass**

Blower Manufacturer: Gibbons

Blower Model Reference: Metal box

Blower Serial Number: Sh286527016

Blower Power / Size: 1.5hp

CE/UKCA Mark: **Pass**

## Blowers

Blower Distance: **Pass** 1.3m 1.3

## Entrance, exits & evacuation

The entrance or exit of an inflatable is important to ensure safe access and evacuation. It also has design features to help reduce the risks to users on the device.

Evacuation Time: **Pass** 15Seconds

Is the device considered to be an enclosed unit?: **No**

Does the device have a step?: **Yes**

Adjacent Platform Height: **0.5m**

Length of Step: **Pass** 0.85m 0.50m/0.85m

## Slides

Slides are a particularly fun feature of an inflatable device and there are critical dimensions required to ensure safe operation.

Number of Slides: **1**

Platform Height: **0.9m**

Platform Wall Height: **Pass** 0.67m

Slide Wall Height: **Pass** 0.67m

Slide Sheet: **Pass** sliding mat.

Run Out: **Pass** 0.5m 0.5m

Platform Roof Fitted: **Pass**

Is the method of access to the slide using foam steps?: **Yes**

## Users

Understanding the height and number of users is vital to safe operation of an inflatable device. This should have been specified by the device manufacturer, but the inspector will check the manufacturers recommendations based on device dimensions and appropriate standards.

Max Number of Users of Height up to 1.0m: **5**

Max Number of Users of Height up to 1.2m: **4**

Max Number of Users of Height up to 1.5m: **3**

Max Number of Users of Height up to 1.8m: **0**

Custom Max User Height:

## Notes

These are final notes sections for the relate to the report and are particularly important to pay attention to if present. Risk Assessments contain important operational information that must be noted and acted on to ensure safe play. Your inspector may also provide other Advisory Notes related to maintenance or operation over the next 12 months

## Additional Notes:

Maximum operating wind speed 24mph 38 kph (max gust speed). When used outside all anchor provided should be used. Pegs should be minimum 380mm x 16mm and within 25mm of ground level when used outside. Adult supervision at all times. Manufacturers operating manual should be followed at all times. Mats should be used on all sides of openings when used on hard standing. Internal pressures should be taken and recorded before every use.

## Risk Assessment Notes:

## Repairs needed to pass inspection:

## Advisory items :

I confirm that this inflatable Bounce and Slide combo device has been inspected in accordance with the PIPA scheme rules, and where it is applicable, it meets the requirements of BS EN 14960. All details contained within this inspection report are a true representation of what I found and observed during my inspection process.

NRBradley